

WRANGLER JL (2 DOOR)

ARB DELUXE BULL BARS & WINCH BARS				
YEAR	MODEL	FEATURES	WINCHES	PART NO.
2018-ON	DELUXE CLASSIC WINCH BUMPER	FACTORY FOG LAMPS ² , RECOVERY POINTS, RECOVERY JACK POINTS, CLEARANCE FOR 37" TIRES, STYLED FOR SPORT AND RUBICON OE FLARES, INTEGRIT FINISH	WARN LOW MOUNT WINCHES UP TO 10,000LB	3450440 ¹
2018-ON	CLASSIC STUBBY BUMPER	RECOVERY POINTS, RECOVERY JACK POINTS, OFF-ROAD LIGHT MOUNTS, INTEGRIT FINISH	WARN LOW MOUNT WINCHES UP TO 10,000LB	3450450
2018-ON	BONDI DELUXE BUMPER	FACTORY FOG LAMPS, RECOVERY POINTS, RECOVERY JACK POINTS, CLEARANCE FOR 37" TIRES, STYLED FOR RUBICON OE FLARES, OFF-ROAD LIGHT MOUNTS INTEGRIT FINISH	WARN LOW MOUNT WINCHES UP TO 10,000LB	3450460 ³
2018-ON	BONDI STUBBY BUMPER	RECOVERY POINTS, RECOVERY JACK POINTS, OFF-ROAD LIGHT MOUNTS, INTEGRIT FINISH	WARN LOW MOUNT WINCHES UP TO 10,000LB	3450470

¹ OPTIONAL WINCH COVER PAN **3550150** AVAILABLE WHEN NOT FITTING WINCH.
² FACTORY STEEL BUMPER FOG LIGHTS WILL NOT FIT. PLEASE CONTACT ARB FOR MORE INFORMATION
³ FITS JEEP WRANGLER JL RUBICON ONLY.

SAFARI SNORKEL		
YEAR	RECOMMENDED SNORKEL	PART NO.
2018-ON	3.6L V6 AND 2.0 TURBO GAS ENGINE (LEFT HAND DRIVE)	SS1080HF

ARB SIDE RAILS/ROCK SLIDERS/STEPS		
YEAR	DESCRIPTION	PART NO.
2018-ON	ROCK SLIDERS - INTEGRIT BLACK POWDER COAT FINISH	COMING SOON

ARB REAR PROTECTION BUMPERS		
YEAR	TYPE	PART NO.
2018-ON	REAR BUMPER ASSEMBLY, RECOVERY POINTS, JACK POINTS, NO TIRE CARRIER OPTIONS. INTEGRIT BLACK FINISH	5650380 ^{1,2}

¹ OPTIONAL MUDFLAP MOUNT KIT 5750380 AVAILABLE. WILL NOT FIT RUBICON MODELS.
² OPTIONAL LICENSE PLATE RELOCATION KIT 5750390 AVAILABLE.

ARB AIR LOCKER LOCKING DIFFERENTIALS						
YEAR	AXLE	DESCRIPTION	SHAFT	SPLINE	RATIO	PART NO.
2018-ON	FRONT	M186		27 SPLINE	ALL	RD100
		RUBICON FRONT		35 SPLINE	ALL	RD246 ¹
	REAR	M200		29 SPLINE	ALL	RD244
		M220		32 SPLINE	ALL	RD245
		RUBICON REAR		35 SPLINE	ALL	RD246 ¹

¹ AFTERMARKET 35 SPLINE AXLE SHAFTS REQUIRED.

DIFFERENTIAL COVERS		
DIFFERENTIAL	DESCRIPTION	PART NO.
M186	M186 DIFFERENTIAL COVER - FRONT - RED	0750009
M186	M186 DIFFERENTIAL COVER - FRONT - BLACK	0750009B
M200	M200 DIFFERENTIAL COVER - REAR - RED	0750010
M200	M200 DIFFERENTIAL COVER - REAR - BLACK	0750010B
M210	M210 DIFFERENTIAL COVER - FRONT - RED	0750011
M210	M210 DIFFERENTIAL COVER - FRONT - BLACK	0750011B
M220	M220 DIFFERENTIAL COVER - REAR - RED	0750012
M220	M220 DIFFERENTIAL COVER - REAR - BLACK	0750012B

WRANGLER JL (2 DOOR)

OLD MAN EMU SUSPENSION SYSTEMS

MODEL	LOCATION	DESCRIPTION	TYPE	LIFT	QUANTITY	PART NO.
2018-ON W/3.6L & 2.0L	COMPLETE KITS	LIGHT LOAD (0-90LBS) WITH SPORT SHOCKS	KIT	2.5-3.5"	1	OMEJL2DLKS ^{1,2}
		HEAVY LOAD (90-195LBS) WITH SPORT SHOCKS	KIT	2.5-3.5"	1	OMEJL2DHKS ^{1,2}
		LIGHT LOAD (0-90LBS) WITH BP-51 SHOCKS	KIT	2.5-3.5"	1	OMEJL2DBP51LK ^{1,2}
		HEAVY LOAD (90-195LBS) WITH BP-51	KIT	2.5-3.5"	1	OMEJL2DBP51HK ^{1,2}

¹ DUE TO DIFFERENCES IN OE RIDE HEIGHT, THE KITS ABOVE WILL NET 3.5" FOR NON RUBICON MODELS AND 2.5" FOR RUBICON MODELS.

² INCLUDES, COIL SPRINGS, SHOCKS, FRT LOWER CONTROL ARMS, FRT AND REAR TRACK BARS, BUMP STOP KIT, SWAY BAR LINKS AND TRIM PACKERS

OLD MAN EMU SUSPENSION SYSTEMS

MODEL	LOCATION	DESCRIPTION	TYPE	LIFT	QUANTITY	PART NO.	
2018-ON	FRONT	STOCK/LIGHT LOAD (0-90LBS)	SPRING	2.5-3.5"	1	3133 ^{1,2,6}	
		NITROCHARGER SPORT	SHOCK		2	60150 ^{3,4}	
		MEDIUM LOAD (90-190LBS)	SPRING	2.5-3.5"	1	3134 ^{1,2,6}	
		NITROCHARGER SPORT SHOCK	SHOCK		2	60150 ^{3,4}	
	REAR	MEDIUM LOAD	SPRING	2.5-2.5"	1	3136 ^{1,2}	
		NITROCHARGER SPORT SHOCK	SHOCK		2	60151 ^{3,4}	
		HEAVY CONSTANT (330LBS)	SPRING	2.5-3.5"	1	3137 ^{1,2}	
		NITROCHARGER SPORT SHOCK	SHOCK		2	60151 ^{3,4}	
	REQ'D FOR INSTALLATION	FRONT LOWER ADJUSTABLE CONTROL ARM	CONTROL ARM			1	LCAJLFR ²
		FRONT ADJUSTABLE TRACK BAR	TRACK BAR			1	PANRJL001 ⁶
		REAR ADJUSTABLE TRACK BAR	TRACK BAR			1	PANRJL002 ⁶
		BUMP STOP KIT (FRONT AND REAR)	BUMP KIT			1	FK92 ³
		SWAY BAR LINK KIT	LINK KIT			1	FK93 ⁴
	OPTIONAL	FRONT COIL SPRING TRIM PACKER	PACKER			1	OMEJKPF10 ⁵
REAR COIL SPRING TRIM PACKER		PACKER			1	OMEJLPR10 ⁵	
FRONT WRANGLER JL BP-51 SHOCK 2.5-3.5"		SHOCK			2	BP5160033 ⁵	
REAR LEFT WRANGLER JL BP-51 SHOCK 2.5-3.5"		SHOCK			1	BP5160034L ⁸	
REAR RIGHT WRANGLER JL BP-51 SHOCK 2.5-3.5"		SHOCK			1	BP5160034R ⁸	
VEHICLE MOUNT KIT BP-51 - FRONT		F/KIT			1	VM80010038 ⁹	
VEHICLE MOUNT KIT BP-51 - REAR		F/KIT			1	VM80010039 ⁸	

¹ DUE TO DIFFERENCES IN OE RIDE HEIGHT, OME COIL SPRINGS WILL NET 3.5" FOR NON RUBICON MODELS AND 2.5" FOR RUBICON MODELS.

² FITMENT OF LCAJLFR ADJUSTABLE LOWER CONTROL ARMS ARE REQUIRED TO RESTORE PROPER CASTER ALIGNMENT SETTINGS.

³ FITMENT OF FK92 IS REQUIRED. FK92 BUMPER STOP KIT PREVENTS SHOCKS FROM GOING SOLID AND FITMENT OF LARGER TIRES.

⁴ FITMENT OF FK93 IS REQUIRED. FK93 SWAY BAR LINK KIT ALLOWS THE SHOCKS TO EXTEND FREELY WITHOUT LIMIT OR CONTACT.

⁵ TRIM PACKERS ARE TO TRIM VEHICLE LEFT TO RIGHT. DO NOT INSTALL MORE THAN ONE PACKER PER COIL SPRING.

⁶ AFTERMARKET FRONT & REAR TRACK BAR REQUIRED FOR PROPER ALIGNMENT

⁷ PART NO **VM80010038** REQUIRED WHEN FITTING **BP5160033**

⁸ PART NO **VM80010039** REQUIRED WHEN FITTING **BP5160034L/R**

LINX - VEHICLE ACCESSORY INTERFACE

YEAR	DESCRIPTION	PART NO.
2018 ON	LINX VEHICLE ACCESSORY INTERFACE	LX100
	LINX A-PILLAR MOUNT FOR JEEP WRANGLER JL	UNDER DEVELOPMENT
OPTIONAL	LINX PRESSURE CONTROL KIT	7450107
	LINX AIR BAG ISOLATION KIT	7450109

LEARN MORE ABOUT ARB LINX - [HTTPS://WWW.ARBUSA.COM/LINX-ACCESSORY-INTERFACE/](https://www.arbusa.com/linx-accessory-interface/)

WRANGLER JL (4-DOOR)

ARB DELUXE BULL BARS & WINCH BARS				
YEAR	MODEL	FEATURES	WINCHES	PART NO.
2018-ON	DELUXE CLASSIC WINCH BUMPER	FACTORY FOG LAMPS, RECOVERY POINTS, RECOVERY JACK POINTS, CLEARANCE FOR 37" TIRES, STYLED FOR SPORT AND RUBICON OE FLARES, INTEGRIT FINISH	WARN LOW MOUNT WINCHES UP TO 10,000LB	3450440 ¹
2018-ON	CLASSIC STUBBY WINCH BUMPER	RECOVERY POINTS, RECOVERY JACK POINTS, OFF-ROAD LIGHT MOUNTS, INTEGRIT FINISH	WARN LOW MOUNT WINCHES UP TO 10,000LB	3450450
2018-ON	BONDI DELUXE WINCH BUMPER	FACTORY FOG LAMPS, RECOVERY POINTS, RECOVERY JACK POINTS, CLEARANCE FOR 37" TIRES, STYLED FOR RUBICON OE FLARES, INTEGRIT FINISH	WARN LOW MOUNT WINCHES UP TO 10,000LB	3450460 ³
2018-ON	BONDI STUBBY WINCH BUMPER	RECOVERY POINTS, RECOVERY JACK POINTS, OFF-ROAD LIGHT MOUNTS, INTEGRIT FINISH	WARN LOW MOUNT WINCHES UP TO 10,000LB	3450470

- ¹ OPTIONAL WINCH COVER PAN **3550150** AVAILABLE WHEN NOT FITTING WINCH.
² FACTORY STEEL BUMPER FOG LIGHTS WILL NOT FIT. PLEASE CONTACT ARB FOR MORE INFORMATION.
³ FITS JEEP WRANGLER JL RUBICON ONLY.

SAFARI SNORKEL		
YEAR	RECOMMENDED SNORKEL	PART NO.
2018-ON	3.6L V6 GAS ENGINE (LEFT HAND DRIVE)	SS1080HF

ARB SIDE RAILS/ROCK SLIDERS/STEPS		
YEAR	DESCRIPTION	PART NO.
2018-ON	ROCK SLIDERS - INTEGRIT BLACK POWDER COAT FINISH	4450240

ARB REAR PROTECTION BUMPERS		
YEAR	TYPE	PART NO.
2018-ON	REAR BUMPER ASSEMBLY, RECOVERY POINTS, JACK POINTS, NO TIRE CARRIER OPTIONS. INTEGRIT BLACK FINISH	5650380 ^{1,2}

- ¹ OPTIONAL MUDFLAP MOUNT KIT **5750380** AVAILABLE. WILL NOT FIT RUBICON MODELS.
² OPTIONAL LICENSE PLATE RELOCATION KIT **5750390** AVAILABLE.

ARB ROOF RACKS		
YEAR	DESCRIPTION	PART NO.
2018-ON	70"X 44" STEEL FLAT RACK AND MOUNT KIT (NO MESH FLOOR)	3813030KJL
	70" X 44" ALLOY FLAT RACK AND MOUNT KIT (MESH FLOOR)	4913020MKJL

ARB AIR LOCKER LOCKING DIFFERENTIALS						
YEAR	AXLE	DESCRIPTION	SHAFT	SPLINE	RATIO	PART NO.
2018-ON	FRONT	M186		27 SPLINE	ALL	RD100
		RUBICON FRONT		35 SPLINE	ALL	RD246 ¹
	REAR	M200		29 SPLINE	ALL	RD244
		M220		32 SPLINE	ALL	RD245
		RUBICON REAR		35 SPLINE	ALL	RD246 ¹

- ¹ AFTERMARKET 35 SPLINE AXLE SHAFTS REQUIRED.

DIFFERENTIAL COVERS		
DIFFERENTIAL	DESCRIPTION	PART NO.
M186	M186 DIFFERENTIAL COVER - FRONT - RED	0750009
M186	M186 DIFFERENTIAL COVER - FRONT - BLACK	0750009B
M200	M200 DIFFERENTIAL COVER - REAR - RED	0750010
M200	M200 DIFFERENTIAL COVER - REAR - BLACK	0750010B
M210	M210 DIFFERENTIAL COVER - FRONT - RED	0750011
M210	M210 DIFFERENTIAL COVER - FRONT - BLACK	0750011B
M220	M220 DIFFERENTIAL COVER - REAR - RED	0750012
M220	M220 DIFFERENTIAL COVER - REAR - BLACK	0750012B



WRANGLER JL (4 DOOR)

OLD MAN EMU SUSPENSION SYSTEMS						
MODEL	LOCATION	DESCRIPTION	TYPE	LIFT	QUANTITY	PART NO.
2018-ON W/3.6L & 2.0L	COMPLETE KITS	LIGHT LOAD (0-90LBS) WITH SPORT SHOCKS	KIT	2.5-3.5"	1	OMEJL4DLKS ^{1,2}
		HEAVY LOAD (90-195LBS) WITH SPORT SHOCKS	KIT	2.5-3.5"	1	OMEJL4DHKS ^{1,2}
		LIGHT LOAD (0-90LBS) WITH BP-51 BYPASS SHOCKS	KIT	2.5-3.5"	1	OMEJL4DBP51LK ^{1,2}
		HEAVY LOAD (90-195LBS) WITH BP-51 BYPASS SHOCKS	KIT	2.5-3.5"	1	OMEJL4DBP51HK ^{1,2}

¹ DUE TO DIFFERENCES IN OE RIDE HEIGHT, THE KITS ABOVE WILL NET 3.5" FOR NON RUBICON MODELS AND 2.5" FOR RUBICON MODELS.

² INCLUDES, COIL SPRINGS, SHOCKS, FRONT LOWER CONTROL ARMS, FRONT AND REAR TRACK BARS, BUMP STOP KIT, SWAY BAR LINKS AND TRIM PACKERS

OLD MAN EMU SUSPENSION SYSTEMS						
MODEL	LOCATION	DESCRIPTION	TYPE	LIFT	QUANTITY	PART NO.
2018-ON	FRONT	STOCK/LIGHT LOAD (0-90LBS)	SPRING	2.5-3.5"	1	3134 ^{1,2}
		NITROCHARGER SPORT	SHOCK		2	60150 ^{3,4}
	FRONT	MEDIUM LOAD (90-190LBS)	SPRING	2.5-3.5"	1	3135 ^{1,2}
		NITROCHARGER SPORT SHOCK	SHOCK		2	60150 ^{3,4}
	REAR	MEDIUM LOAD	SPRING	2.5-2.5"	1	3137 ^{1,2}
		NITROCHARGER SPORT SHOCK	SHOCK		2	60151 ^{3,4}
	REAR	HEAVY CONSTANT (330LBS)	SPRING	2.5-3.5"	1	3138 ^{1,2}
		NITROCHARGER SPORT SHOCK	SHOCK		2	60151 ^{3,4}
REQ'D FOR INSTALLATION		FRONT LOWER ADJUSTABLE CONTROL ARM	CONTROL ARM		1	LCAJLFR ²
		FRONT ADJUSTABLE TRACK BAR	TRACK BAR		1	PANRJL001 ⁶
		REAR ADJUSTABLE TRACK BAR	TRACK BAR		1	PANRJL002 ⁶
		BUMP STOP KIT (FRONT AND REAR)	BUMP KIT		1	FK92 ³
		SWAY BAR LINK KIT	LINK KIT		1	FK93 ⁴
OPTIONAL		FRONT COIL SPRING TRIM PACKER	PACKER		1	OMEJKPF10 ⁵
		REAR COIL SPRING TRIM PACKER	PACKER		1	OMEJLPR10 ⁵
	FRONT WRANGLER JL BP-51 SHOCK 2.5-3.5"	SHOCK		2	BP5160033 ⁵	
	REAR LEFT WRANGLER JL BP-51 SHOCK 2.5-3.5"	SHOCK		1	BP5160034L ⁸	
	REAR RIGHT WRANGLER JL BP-51 SHOCK 2.5-3.5"	SHOCK		1	BP5160034R ⁸	
	VEHICLE MOUNT KIT BP-51 - FRONT	F/KIT		1	VM80010038 ⁵	
	VEHICLE MOUNT KIT BP-51 - REAR	F/KIT		1	VM80010039 ⁵	

¹ DUE TO DIFFERENCES IN OE RIDE HEIGHT, OME COIL SPRINGS WILL NET 3.5" FOR NON RUBICON MODELS AND 2.5" FOR RUBICON MODELS.

² FITMENT OF LCAJLFR ADJUSTABLE LOWER CONTROL ARMS ARE REQUIRED TO RESTORE PROPER CASTER ALIGNMENT SETTINGS.

³ FITMENT OF FK92 IS REQUIRED. FK92 BUMPER STOP KIT PREVENTS SHOCKS FROM GOING SOLID AND FITMENT OF LARGER TIRES.

⁴ FITMENT OF FK93 IS REQUIRED. FK93 SWAY BAR LINK KIT ALLOWS THE SHOCKS TO EXTEND FREELY WITHOUT LIMIT OR CONTACT.

⁵ TRIM PACKERS ARE TO TRIM VEHICLE LEFT TO RIGHT. DO NOT INSTALL MORE THAN ONE PACKER PER COIL SPRING.

⁶ AFTERMARKET FRONT & REAR TRACK BAR REQUIRED FOR PROPER ALIGNMENT

⁷ PART NO **VM80010038** REQUIRED WHEN FITTING **BP5160033**

⁸ PART NO **VM80010039** REQUIRED WHEN FITTING **BP5160034L/R**

OUTBACK SOLUTIONS ROLLER DRAWER SYSTEM		
YEAR	DESCRIPTION	PART NO.
2018 ON	ROLLER DRAWER WITH ROLLER TOP - 28.7" WIDE X 25.7" LONG X 8.6" DEEP - INTERNAL DIMENSIONS	RDRF790 ¹
	SIDE FLOOR KIT FOR JEEP WRANGLER JL 4-DOOR - REQUIRED FOR DRAWER INSTALLATION	JL4DFKIK ¹

¹ NOT SUITABLE WITH MODELS WITH FACTORY SUB WOOFERS.

ARB SEAT SKIN SEAT COVERS		
LOCATION	DESCRIPTION	PART NO.
FRONT	JEEP WRANGLER JL SPORT 4-DOOR W/BASE MODEL SEATS - FRONT PAIR	105505NP
REAR	JEEP WRANGLER JL SPORT 4-DOOR W/BASE MODEL SEATS - REAR	105506NP

